
UNCLASSIFIED January 1961

OSCILLOSCOPE

Test-Wave Form Measuring AN/USM-109



A 3 8 2

Oscilloscope AN/USM-109

FUNCTIONAL DESCRIPTION

Oscilloscope AN/USM-109 is a compact, general purpose oscilloscope. It has calibrated vertical and horizontal amplifiers which permit easy measurement of various characteristics of the input signal, including amplitude, frequency, and pulse width.

No field changes in effect at time of preparation (12 January 1960).

EQUIPMENT REQUIRED BUT NOT SUPPLIED

(1) Senior Volt Ohmyst (RCA) Type WV-97A and High Voltage Prode (RCA) Type WG-289; (1) Square Wave Generator (Tektronix) Type 1-7 (or equal); (1) Time-Mark Generator (Tektronix) Type 180A (or equal); (1) Universal Polyranger (Sensitive Research and Instrument) Model USP; (1) Variac (General Radio) Model V-5MT; (1) Resistance Bridge ZM-4/U; (1) Signal Generator (Hewlett Packard) Model 650-A.

ELECTRICAL AND MECHANICAL CHARACTERISTICS

VERTICAL DEFLECTION

UNCLASSIFIED

INPUT IMPEDANCE

- DIRECT CONNECTION: 1 meg in parallel with 38 uuf.
- WITH ATTENUATOR PROBE: 10 meg in paralled with 13 uuf.

SENSITIVITY

- CALIBRATED, AC COUPLED: 9 calibrated vertical sensitivities 0.01 to 50 y per scale div, accurate within 3%. UNCALIBRATED: Continuously variable
- sensitivities, 0.01 to 125 v per scale.div.

FREQUENCY RESPONSE (VARIABLE VOLTS/DIV. SWITCH AT ANY POSITION BETWEEN 0.1 AND 50).

AC COUPLED: 2 cps to 10 mc.

- DC COUPLED: DC to 10 mc.
- AC COUPLED, WITH ATTENUATOR PROBE: 0.2 cps to 10 mc.
- AC COUPLED, WITH ATTENUATOR PROBE (SWITCH BETWEEN 0.01AND 0.05): 1.3 cps to 10 mc.

RISE TIME: 0.035 usec.

HORIZONTAL DEFLECTION

SWEEP RATE

- - CALIBRATED: 22 calibrated sweep rates from 2 sec to 0.2 usec per scale div, accurate within 3%. UNCALIBRATED: Continuously variable

4.3 AN/USM-109: 1

Test-Wave Form Measuring

AN/USM-109

OSCILLOSCOPE

sweep rates from 6 sec to 0.2 usec per scale div.

MAGNIFIER: Expands sweep 5 times to the right and left of the screen center; extends fastest sweep to 0.04 usec per scale div, accurate within 5%.

TRIGGERING SIGNAL INTERNAL: Pulse with an amplitude

equal to 0.2 scale div. EXTERNAL: 0.2 to 10 v peak-to-peak. FREQUENCY RANGE: DC to 15 mc.

SYNCHRONIZING FREQUENCY RANGE: 5 mc to 15 mc.

HORIZONTAL INPUT DEFLECTION FACTOR: Approx 1.3 v per scale div.

FREQUENCY RESPONSE: DC to 500 kc. VOLTAGE CALIBRATOR

OUTPUT WAVEFORM: Square wave at approx. 1 kc.

VOLTAGES: 11 fixed voltages from 0.05 to 100 v peak-to-peak; accurate within 3%. OUTPUT WAVEFORMS AVAILABLE

GATE OUTPUT: Positive gate of same duration as sweep, approx. 30 v. SAWTOOTH OUTPUT: Positive-going sweep

sawtooth, approx. 150 v. POWER REQUIREMENTS

LINE VOLTAGE: 105, 115, or 125 v, 50 to 60 cy.

OPERATING POWER: 350 W (approx).

STARTING: 13 amp (first sec).

OPERATING CURRENT: 2.6 amp (after 5 sec).

MANUFACTURER'S OR CONTRACTOR'S DATA

Sylvania Electronic Systems, Div of Sylvania Electric Products Inc, Buffalo, New York. Contract NObsr-75232.

TUBE AND/OR CRYSTAL COMPLEMENT

(3) 6AN8	(8)	6AU6WA	(1)	6AQ5WA
(7) 6BQ7A	(1)	5651WA	(1)	T 32P 1
(2) 6CL6	(3)	6 V 8	(1)	12AT7WA
(2) 5642	(1)	6CB6	(1)	5687WA
(1) 5726	(1)	5814A	(1)	6080WA
Total Tubes:	(34)			
No Crystals u	ised.			

REFERENCE DATA AND LITERATURE

NAVSHIPS 93450: Technical Manual for OS-CILLOSCOPE AN/USM-109 and OS-100/USM-109.

TYPE CLASSIFICATION (NAVY) DESIGN COGNIZANCE USN, BUSHIPS PROCUREMENT COGNIZANCE STOCK NO. R.D.B. IDENT. NO. 3.1

	SHIPPING I	DATA		
NUM BER OF BOXES	CONTENTS AND IDENTIFICATION	VOLUME (Cu.Ft.)	OVERALL DIMENSIONS (inches)	WEIGHT PACKED (lbs.)
1	Oscilloscope AN/USM-109	1.61	6.875 X 19.5 X 23.5	55

EQUIPMENT SUPPLIED DATA						
QUANTITY PER EQUIPT	NAME AND NOMENCLATURE	OVERALL DIMENSIONS (inches)	WEIGH (Ibs.)			
1	Oscilloscope AN/USM-109 includes:					
1	Oscilloscope OS-100/USM-109					
1	Green Filter F510-5					
1	Attenuator Probe P510A					
1	Binding-Post Adapter A510					

4.3 AN/USM-109: 2

UNCLASSIFIED

UNCLASSIFIED January 1981