

BULLETIN 288B

TECHNICAL MANUAL  
28 TAPE PRINTER SET  
(STOCK TICKER)



**TELETYPE<sup>®</sup>**  
CORPORATION

5555 TOUHY AVENUE, SKOKIE, ILLINOIS

BULLETIN 288B

TECHNICAL MANUAL  
28 TAPE PRINTER SET  
(STOCK TICKER)



**TELETYPE<sup>®</sup>**  
CORPORATION

5555 TOUHY AVENUE, SKOKIE, ILLINOIS

## INTRODUCTION

Bulletin 288B provides description and principle of operation, installation, adjustments, lubrication, disassembly and reassembly for the 28 Tape Printer Set (Stock Ticker).

The Bulletin is made up of a group of appropriate independent sections. The sections are complete within themselves; they are separately identified by title and section number and the pages of each section are numbered consecutively, independent of other sections.

The identifying number of a section, a 9-digit number, appears at the top of each page of the section, in the left corner of left-hand pages and the right corner of right-hand pages.

To locate specific information, refer to the table of contents. Find the name of the involved component in column one and the title of the section in column two. The correct 9-digit section number will then be found in column three. The sections are arranged in the order shown in the table of contents. Turn to page one of the section indicated where the contents of that section will be found.

## TABLE OF CONTENTS

<u>EQUIPMENT</u>	<u>TITLE</u>	<u>SECTION</u>	<u>ISSUE</u>
28 Tape Printer Set (Stock Ticker)	Description	573-107-100	1
28 Tape Printer Set (Stock Ticker)	Installation and Adjustments	573-107-200	1
28 Tape Printer Unit (Stock Ticker)	Description and Principles of Operation	573-140-100	1
28 Tape Printer Unit (Stock Ticker)	Adjustments	573-140-700	1
28 Tape Printer Unit (Stock Ticker)	Lubrication	573-140-701	1
28 Tape Printer Unit (Stock Ticker)	Disassembly and Reassembly	573-140-702	1
28 Tape Printer Base (Stock Ticker)	Description Adjustments Lubrication	573-141-700	1
28 Tape Printer Cover and Pedestal (Stock Ticker)	Description Adjustments	573-142-700	1
28 Tape Puller (Stock Ticker)	Description Adjustments Lubrication	573-143-700	1