

35 "CARDATA"\* FEEDER (EPCF)

WIRING DIAGRAMS

CONTENTS	PAGE	1. GENERAL
1. GENERAL . . . . .	1	1.01 This section provides wiring diagrams for the 35 "CARDATA" feeder (edge punched card feeder).
2. WIRING DIAGRAM INDEX . . . . .	1	1.02 Wiring diagrams included are actual and schematic for the 35 edge punched card feeder.
2. WIRING DIAGRAM INDEX		

TITLE	DRAWING NUMBER	SECTION ISSUE			
		1	2	3	4
Edge Punched Card Feeder — Actual	7341WD	3			
Edge Punched Card Feeder — Schematic	7342WD	3			













\*Trademark of Teletype Corporation

# 7341WD




## REVISIONS

ISSUE	DATE	AUTH. NO.
1	11-02-66	18024-R
2	5-18-67	53205
3	3-18-67	93205-1

- NOTES**
1. WIRING LEGEND:  
 - DISTANT TERMINATING AREA  
 - DISTANT TERMINATING DESIGNATION  
 A-Z-C- COLOR CODE
  2. COLOR CODE:  
 BK - BLACK      R - RED  
 BL - BLUE        Y - YELLOW  
 BR - BROWN      P - PURPLE  
 W - WHITE        S - SLATE  
 O - ORANGE      G - GREEN
  3. CONNECTORS VIEWED FROM SOLDER TERMINAL INDS.
  4. #18 GA. WIRE      ALL OTHER WIRE 24 GA.
  5. THE NUMBERS ENCLOSED IN PARENTHESIS ARE FOR REFERENCE AND NOT SHOWN ON COMPONENTS.
  6. B TERMINAL DESIGNATIONS REFER TO THE B CONNECTOR ON THE LEADEND SEE 7336WD.
  7. ALL CONTACTS SHOWN IN UNOPERATED POSITION.
  8. REFER TO 320088 FOR CABLE ASSEMBLY.
  9. ASSOCIATED SCHEMATIC 7342WD.
  10. REFERENCE SPEC FOR TELETYPE CORPORATION EMPLOYEES ONLY 61256 S.
  11. REFER TO 321908 FOR INTER CONNECTING CABLE BETWEEN CARD FEEDER AND CARD READER.



**(P-1) RECEPTACLE 145913**  
 (NOTE 1)  
 (NOTE 6)



ACTUAL WIRING DIAGRAM FOR AUTOMATIC CARD FEEDER EPCF1

**APPROVALS**

D AND R	E OF W
<i>[Signature]</i>	<i>[Signature]</i>

E-NUMBER  
 PROG. NO. 7341WD  
 DATE 5-2-66  
 P.D. FILE NO. 10.58 6544  
 DRAWN R.F.L. CHRD. *[Signature]*  
 ENGR. D.J.U. APPR. *[Signature]*


TELETYPE CORPORATION  
**7341WD**

7342WD

REVISIONS

ISSUE	DATE	AUTH. NO.
1	11-12-66	18024-R
2	5-18-67	93203
3	5-18-67	93203-1

- NOTES
- NUMBERS ENCLOSED IN PARENTHESES ARE FOR REFERENCE ONLY AND ARE NOT ON COMPONENTS.
  - RESISTANCE VALUES IN OHMS.
  - ASSOCIATED ACTUAL WIRING DIAGRAM, 7341WD.
  - ALL CONTACTS SHOWN IN UNOPERATED POSITION.
  - PI-2 & B IS CONNECTED TO THE LEAD001 CARD READER AS FOLLOWS: (SEE 7338WD)
    - PI-1 IS TO 838 NEG. POLARITY
    - PI-2 TO 837 POS. POLARITY
  - SEE 7338WD & 7341WD FOR INFORMATION ON CONNECTION TO THE CARD READER.
  - FOR INTERCONNECTING CABLE BETWEEN CARD READER & CARD FEEDER SEE 301906.
  - ▷ INDICATES FEMALE AND ◁ INDICATES MALE TERMINALS.
  - REFERENCE SPEC. FOR TELETYPE CORP EMPLOYEES ONLY 91256 S.
  - ARC SUPPRESSION NETWORK CONSISTS OF 11MF IN SERIES WITH 470 OHMS.



SCHEMATIC WIRING DIAGRAM FOR AUTOMATIC CARD FEEDER EPCF-1

APPROVALS

D AND B <i>AK</i>	E OF M <i>✓</i>
----------------------	--------------------

E-NUMBER  
 PROD. NO. 7342WD  
 DATE  
 R.D. FILE NO. 10.05.0548  
 DRAWN BY S.L. GIND. *SLG*  
 ENGR. D.D. APPD. *SLG*

TELETYPE CORPORATION

7342WD