

RTTY

EXCLUSIVELY AMATEUR RADIOTELETYPE

Journal[®]

VOLUME 33 NUMBER 3

MARCH 1985

PRICE \$1.50

W6RO

ABOARD THE R.M.S. QUEEN MARY

Club Station of the
Associated Radio Amateurs of Long Beach, Inc.



WIRELESS ROOM

TO N6ELP

Date 10 JAN 82

Time 2224 UTC

Your Signal Via Repeater

146.04 Mhz.

73. BEN W46PYF



- ICOM IC-701/DENTRON TUNER KENWOOD TS180S SWAN ASTRO 150 AESU FT720R TELEX HEADSETS
 CUSHCRAFT ATB-34/ALLIANCE ROTATOR HD73 CUSHCRAFT ATV-5 RINGO RANGER ARX-2 DIPOLE TET DISCONE

PICTURED ABOVE IS THE R.M.S. QUEEN MARY- HOME OF THE ARRL SOUTH-WESTERN DIVISION CONVENTION ON AUGUST 9, 10, and 11, 1985 IN LONG BEACH, CALIFORNIA. HOW MUCH BETTER VACATION COULD YOU WISH FOR. SHOULD BE A LOT OF RTTYING GOING ON.

RTTY JOURNAL

DEE CRUMPTON, N6ELP
 Owner-Editor -Publisher
 Post Office Box RY
 Cardiff-by-the-Sea, CA
 92007-0179

JOHN P. GOHEEN, KA6NYK
 Associate Editor

BUSINESS OFFICE
 1155 Arden Drive
 Encinitas, CA 92024-5105
 Tele: 619-753-5647

Postmaster send form 3579 to:
 P.O.B. 179, Cardiff, CA 92007

ISSN:0033 - 7161

SUBSCRIPTION RATES

USA \$10.00 per year
 CANADA,MEXICO surf.\$ 9.00 per year
 CANADA,MEXICO air \$11.50 per year
 FOREIGN Surface \$10.00 per year
 FOREIGN airmail \$15.00 per year
 All monies to be paid in US funds.

BACK ISSUES

A duplicate of any back issue may be obtained from:Red Wilson, 4011 Clearview Drive, Cedar Falls, IA 50613. \$1.50 PPD \$ SASE. Reprints of both UART articles \$2.00 PPD.

MANAGERS

Dr. Arthur Gee, G2UK
 21 Romany Road, Oulton Broad
 Lowestoft, Suffolk
 NR32 3PJ, England

Kanji Yamamura, JH2FHX
 2-42 Umenoki, Izumi-Machi
 Toki City, Gifu-Pref.
 Japan Mail NO. 509-51

Jean Hurtaud, F8XT
 Chillac
 16480 Brossac, France

The Publisher assumes no responsibility for errors or omissions and assumes no liability for such. Reproductions of this magazine must be accompanied by credit to the RTTY JOURNAL and the Author. The RTTY JOURNAL is published ten (10) times per year with May/June and July/August issues combined. Publication will be on or about the twentieth (20th) of the month. Subscriptions and ads must be paid for by cash, check or money order in United States funds only, prior to subscription or ad start.

DIALTA AMATEUR RADIO SUPPLY

212 - 48th Street
 Rapid City, South Dakota 57702
 (605) 343-6127



Over 7 Years **SPECIALIZING** in RTTY Equipment!

--The **ULTIMATE** RTTY System -- HAL DS3100ASR Terminal, DSK3100 Disk System, and ST6000 Deluxe Demodulator. Simply the **BEST!!!**

--Put your IBM 'PC' to work on RTTY, CW and ASCII with the New HAL PCI-2000 Computer RTTY Interface. Sophistication and Flexibility Plus!

--Operate AMTOR with your HAL CHR6850 by adding the New AMTOR 10A Converter Option. Copy Amateur, Commercial and Maritime Codes!

--RTTY with your VIC-20 or COMMODORE 64 Computer is EASY with the HAL CRI-100 or CRI-200 Computer/RTTY Interface. Inexpensive, but NICE!

--EXTRA SPECIAL Prices on HAL CT-2200, ARQ1000 AMTOR Terminal, CHR-6850, RS2100 RTTY Scope, ST5000, plus many other items.


--The **ULTIMATE** in RTTY, AMTOR, ASCII, CW Video Demodulators! -- INFO-TECH M-600A -- "Bit Inversion" Decoding Feature INCLUDED!

--RTTY Tuning made EASY with the NEW INFO-TECH M-610 RTTY Scope!

--Put a RTTY MAILBOX on YOUR Repeater! The NEW INFO-TECH M-700A provides the sophistication and flexibility for all to enjoy!

--EXTRA SPECIAL Prices on INFO-TECH M-200F, M-107 Computer/RTTY Interface, M-300C RTTY/CW Keyboard, M-44 AMTOR, plus many other items.

OUR PRICES CAN'T BE BEAT!
 CALL DICK, KØVKH, FOR A MONEY SAVING QUOTE!



De Dee, N6ELP

Wow! Did I stir up a hornets nest in the January issue of the RTTY JOURNAL by printing a listing of "Frequencies used for RTTY". I guess that I should have known better, for anyone just listening on most bands, but especially on 40 meters can tell that either there are no 'gentlemen', or there is no adherence to any agreement. The 'guideline' that I printed was just that, a guideline, handed down to me by someone, can't remember just who, that said that here is where RTTY is. And I accepted it because, sure enough, that is where I found RTTYers.

That was over eight years ago and now with the prolific generation of computers almost inundating us on any band that is open, we hear more and more Hams crying foul!

There is good reason for the cry of foul. The FCC gives us a license entitling us to be an Amateur Radio Operator....But no where on that license, or anywhere else for that matter, is there a guide to where to operate. Of course, all of you will say, and I will agree, that your license tells you where you may or may not operator as a Novice, or as a General, or even as an extra class licensee. But nowhere does it say where....SPECIFICALLY, CW, FAX, RTTY, AMTOR, Packet radio, SSTV, FSTV, MSOs or ASCII or any other 'specialized' mode may be found or should be operating within. Only the loosely defined parameters of "Voice" and "CW", are defined. This means that on 20 meters for instance, if you hold the General class license or above you may operate on RTTY LEGALLY, FROM 14.025 to 14.150 MHz as that is the portion of the 20 meter band that is allocated to CW/RTTY. Now we all know that CW means anything OTHER THAN

phone don't we? So that means that where CW is allowed all of the other 'specialized' modes must also be. Somehow, the 'specialized' (I call these modes the stepchildren of Ham Radio), modes must all find a 'niche' for themselves and thereafter be good little girls and boys and stay in their little corner no matter how crowded, uncomfortable or unfair it gets. Those that break 'tradition' get told off in no uncertain terms thereby creating hurt feelings and generating more noncompliance with accepted guides such as they are.

We all have horror tales of 2 meter and 11 meter bands getting out of control. The FCC does what it can with limited funding to monitor and police Amateur bands along with all other communications modes they must deal with. Here in San Diego County, which now has the 8th largest city in the USA within its boundries, the FCC maintains 6 employees three of them are office clerks. That doesn't leave much manpower for anything else.

The ARRL has consistently treated RTTYers like they wish we would go away and perhaps we would go away if ignored long enough. Well, we are not going to go away and there are more and more of us every day to contend with. We have finally gotten the ARRL to grant us DXCC status then they do not see fit to print any RTTY DXCC award listings in QST. Oh well, like I said.....

The whole purpose of all of the above is to try to get you interested and in gaining your attention hope to get some action started in the right direction. I believe that RTTYers can band together and 'nudge' ARRL into giving us more than lip service in the formulating of some reasonable band plan for not only

RTTY, but for all of the specialized modes. We should all know where we may operate on our favorite mode with no one, justly or not, telling us that we do not belong there.

If you all will write/call/pony express it, MSO it whatever, and let me know what your problems have been with the bands and what you think should or should not be done to remedy the situation, or perhaps even whether you think there is a problem. Further, may I suggest to each and every one of you that you make a copy of this page and have it placed in your club bulletin, or excerpts of it, or in your own words condense it to suit your club needs?

I will in turn take all information given to me and recapitulate it to be placed with the ARRL and FCC people that can help solve this problem. Send all cards, letters, etc. to me: Dee, N6ELP, 1155 Arden Drive, Encinitas, California 92024. After all one voice may not be heard, but many voices must be listened to.

Meanwhile, if we all try to be the best operators possible, we can do much to help the situation.

HAM HELPS

Bob, WB6KWE says he had a problem with his Apple Imagewriter with Super Serial printer card, On MARS RTTY they use two carriage returns and a line feed but his printer triple spaced. Bob solved the problem by sending the appropriate command to the Super Serial Card to stop the automatic line feed after a carriage return.

His printer triple spaced again when sending the slash zero (Ø) command to the printer. Solution was to send the Super Serial and Printer command in precise sequence.

Also, Bobs' ICUM 720A/271A transmitters would key on when his AES CP-1 was on and the Apple IIe off. And the CP-1 connections (made to the IC 720A auxiliary connector) shorted the mike out which was solved please turn to page 15

DX

JOE WOOD, AJØX

POB 84

LAUREL, MS 39440



Greetings gang! I see most of us survived the month of February and the hair-raising (greying) events that it brought. As I write this the fourth annual RTTY World Championship has not been held, but I am sure that it will have become history by the time that you read this. I hope that all of the preparations that you all made have paid off and that the XYL (YL), bands, propagation and weather all co-operated to make it an enjoyable event. One thing it will prove beyond a shadow of a doubt, is that we are all better DXers than typists. It is always fun though, and I'll start getting ready for the next one probably next week.

NCDXF Worldwide Beacons. Last month I mentioned that a new publication group is advocating the intermittent operation of a RBBS/CW on 14099 KHZ. and delved into the QRM potential that it would present. I did write a letter to the group explaining from the QRM and public relations standpoint, that I did not think it was such a good idea. They have answered by changing their proposed frequency to 14098! That is now two kilohertz removed from the beacon frequency and may be just enough room to allow operation of both systems without any attendant interference. With the availability of selectivity and sharp filtering systems found in most present day receivers it may work out well. Keep an eye on this and report any difficulties.

Above 14100. The range from 14102 to 14125 looks more appealing each day. Very little activity there and it may be just the place for any semi and fully automatic digital operation to settle in. A move of this sort is contrary to accepted restraints, however the self-imposed "gentlemens agreement" limits are sort of light

years behind times and they must be expanded. A letter to the Delta Division Director of the A.R.R.L. and his subsequent intervention on our behalf at League headquarters resulted in an invitation to this writer to attend the upcoming meeting of the League's Ad Hoc Digital Committee in San Francisco on March 30 of this year. The committee will be discussing RTTY and if you have any related suggestions, problems or gripes, send them to me and I will do my utmost to have them aired. In the "other camp" I am being referred to as RTTYs "Ralph Nader" which may mean that they are waking up to the fact that we exist! I have already received a very nice letter from Carl, K6WZ, expressing his views and his wish that you would take equal time to be heard. Thanks Carl! [ED. note:go get 'em Joe!]

ANTENNA TIME

It will be the month of March as you read this. For some parts of the country the weather is moderating and for others it is a month or so away from that long awaited time when you can venture out of doors without a blast of Artic air hitting you in the face. As Spring eases up on us it is time to give some thought to those antenna projects. What else can you do with that tax refund? Nothing as important as a good antenna which we all know by now is the singular most important piece of gear in our inventory. Is your antenna system what you think it should be? Start planning now!

NEW DXCC MEMBERS

Congratulations go out to the following stations that have joined the ranks of the A.R.R.L. DX century club. The proud new members are:
Page 4

JA1EOD, K4AGC, OE2SNL, PAØLUS, WA2JBV and WØLYM. Keep up the good work!

ANTARTICA

On the ice for one year is a German Antartica Expedition. One of the members, Lothar, is operating DPØGVN on RTTY, SSTV and CW. Frequencies are 7015, 10115, 14014, 14090 and Oscar at 2200 to 0200 UTC daily. QSLs go to DJ4S0.

Another station, AXØPB, is reported to be active from this area. WIDA, George, wonders if anyone has heard or worked this operation. If you have any information please send it along and I will see that it is passed along to George.

ECUADOR

HC1BW, Orbra, is now active from the capitol city of Quito. He can be found early mornings and evenings around 14087 KHz. Orbra is totally committed to RTTY and can be QSLed via Roy Gould, KT1N, Box DX, Stow, MA, 01775. Statesiders send S.A.S.E. Others outside the states should send a S.A.E with appropriate IRCs to cover return postage.

NAVASSA

From the Gulf Coast DX Net comes word of this multi-mode operation for April 4 to April 7. The callsign is said to be 6Y5NR/KP1 and since it is to be multi-mode, a close look will have to be maintained to catch the RTTY operation. No QSL information is available at this time, however, it will be announced at the time of operation.

DESECHEO

Some RTTY operation has been promised for this activity the second week in March. No other information is available at this time.

COCOS

QSLs for this operation should be sent to: WB4UBD, 1601 Melrose Parkway Norfolk, VA 23508. Did you work this group?

please turn to page 6

HAVE RTTY—WILL TRAVEL



Yes, now you can take it with you! The new **HAL CWR-6850 Telereader** is the smallest RTTY and CW terminal available, complete with CRT display screen. Stay active with your RTTY and CW friends even while traveling. Some of the outstanding features of the CWR-6850 are:

- Send and receive ASCII, Baudot, and Morse code
- RTTY and Morse demodulators are built-in
- RTTY speeds of 45, 50, 57, 74, 110, and 300 baud
- High or Low RTTY tones
- Send and receive CW at 3 to 40 wpm
- Built-in 5 inch green CRT display
- Four page video screen display
- Six programmable **HERE IS** messages
- Pretype up to 15 lines of text
- External keyboard included
- Runs on +12 VDC @ 1.7 Amperes
- Small size (12.75" × 5" × 11.5")

Write or call for more details. See the CWR-6850 at your favorite HAL dealer.



HAL COMMUNICATIONS CORP.

BOX 365

URBANA, ILLINOIS 61801

217-367-7373

INTERFACING THE ICOM 2AT, 3AT and 4AT TO Kantronics, "THE INTERFACE"

By Joseph T. Wood, AJØX
POB 84
Laurel, Mississippi 39440

The interfacing of these popular Icom transceivers to the first generation Kantronics interface for VHF and UHF AFSK RTTY is easily accomplished. The transceivers have dual jacks located on the top of each unit for the addition of external microphone and speaker devices, while "The Interface" has an audio and 4 pin connector for connection of that unit to various external devices. The following procedure will lead you through the connection of these ports to establish a marriage of two versatile units. It is suggested that the procedure be read thoroughly and understood before attempting the interconnection.

RECEIVING

Connect the audio input of "The Interface" to one end of a shielded cable. The other end of the cable should have a miniature plug, compatible with the speaker jack of the handheld, attached to it. After connection, the tone level from the Icom can be adjusted with the set's volume control.

TRANSMITTING

Connect one lead of a 0.1mf 25vdc capacitor to pin 1 of the four pin connector on "The Interface". Connect the free lead of this capacitor to one lead of a 22k ½w resistor to form a junction. The free lead of the resistor is connected to pin 2 of the four pin connector. Prepare a single conductor shielded cable, of sufficient length, to connect the two units. At "The Interface" end connect the center conductor of the newly prepared cable to the junction point of the capacitor and resistor. Connect the shield to pins 3 and 4 of the four pin connector. At the Icom handheld end of the cable, using a 3.5mm plug, connect the center conductor to the tip connection and the shield to the sleeve connection. It

is then ready for insertion into the MIC jack. This combination of components will allow passage from the interface to the handheld while simultaneously allowing transmit control of the handheld by the interface. If the tone level from "The Interface" is excessive it may be attenuated by inserting a series resistor between pin 1 and the 0.1mf capacitor. The value of this resistor will have to be determined by the user, experimentally, as each installation has been found to have minor variations!

Lots of luck and enjoy..de Joe,AJØX

00000000000000000000000000000000

S.A.R.T.G 1985 RTTY CONTEST

RESULTS

Class A-Single Operator

#	Call	QSOs	Points
1.	SM6ASD	239	262,105
2.	DJ6JC	217	220,320
3.	HB9HK	226	208,670
4.	I4JXE	203	192,800
5.	OZ1CRL	186	178,620
6.	SM5FUG	188	144,160
7.	F6BIG	144	100,340
8.	4X4KP	126	99,375
9.	KT1N	141	91,140
10.	OH2BDW	141	79,300
11.	LU2HP/ON6JC	117	68,880
12.	VE6uX	108	66,035
13.	W8MQK	124	65,145
14.	WA7EGA	102	47,580
15.	XE1VV	126	44,480
16.	SM7LSU	77	41,520
17.	W2KHQ	68	40,635
18.	DF5BX	79	36,675
19.	HA5XA	81	35,690
20.	W3KV	64	32,375
21.	SP2UUU/1	76	30,155
22.	SM7LVX	73	29,445
23.	KB2VO	81	28,800
24.	SM5EIT	71	28,495
25.	PT2BW	57	27,555
26.	I7PXV	75	24,915
27.	EA1AVN	58	24,700
28.	IV3PVD	65	22,950
29.	SM5AAY	60	22,080
30.	K6WZ	60	21,080
31.	VE6ZX	62	19,575
32.	W2JGP	50	19,375
33.	GW3EHN	58	17,640

34.	VE200	48	17,280
35.	TI2SW	46	14,310
36.	WØLJS	54	13,720
37.	SM7BGE	43	12,515
38.	WA6WGL	33	10,800
39.	SM5IMJ	44	10,500
40.	W3TZI	34	10,290
41.	LU4US	31	8,800
42.	W1BFA	29	8,200
43.	PA3DBS	35	7,100
44.	LX2EL	31	7,030
45.	N8BJQ	28	6,825
46.	Y36YK/P	31	5,400
47.	F3IJ	25	5,015
48.	SP3LRS	32	5,040
49.	SM6AEN	27	4,845
50.	VK2BQS	24	4,480
51.	Y23VB	24	3,840
52.	DL5JQ	20	3,655
53.	WB4UBD	18	3,450
54.	YU2CB	15	2,475
55.	PY2CAR	15	1,750
56.	Y37UF	13	1,500
57.	DK5KJ	13	1,350
58.	SM4CJY	12	1,080
59.	DF8JN	12	875
60.	LU1MBB	8	665
61.	ZL2AKI	6	425

Class B Multi-Operator

1.	HA5KAG	177	139,725
2.	OK3RJB	135	90,240
3.	OK1OAZ	115	75,810
4.	OK3KJF	130	72,540
5.	Y44ZK	121	70,380
6.	OK3KGI	107	59,540
7.	SP2ZCD/1	7	280

Class C SWLs

1.	Y2-2814/M51	139	102,960
2.	FE 3700	136	101,085
3.	OK2-21478	241 (?)	100,085
4.	OZ-DR2135	131	80,085
5.	UE1GMH	114	75,900
6.	NL 4483	82	64,480
7.	OK2-30662	150	50,720
8.	G8CDW	81	38,280
9.	Y2-4802/N71	47	12,375
10.	Y2-7668/J33	40	11,520
11.	FE-1107	33	7,245

Check logs: LU6FDK, ZL3AAX, VE7ATH, SM6LTO, K4AGC, SM6GOW, HB9APJ, N4JNP, WØBWJ. Many thanks for all of the fine logs and comments. This time there were no logs from Japan.

According to comments, bands conditions weren't good. Hope they improve.



by Dick Uhrmacher, KOVKH

installment # 14

Hi Gang! As I write this months column, (storing it on my trusty Hal Disk System), I'm watching some MSO activity on the "National Autostart Frequency", (14 085 625 Mark), and it brings to mind several subjects that I've been meaning to comment on in this column. One of my observations is the quite noticeable increase in MSO activity, to the point where this frequency seems to "GO" all day long. I can remember back seven years when "Red", K9KUW, and myself started our more or less routine operations there, and it was almost a "private channel". My how time flies when you're having FUN!

Probably the major advantage of MSO activity is the ability to "delay" your QSO/Traffic by storing it in the machine itself. You don't have to be "at the throttle", at a certain time, in order to either leave your traffic for a friend or acquaintance, or receive it from them. This storage and retrieval capability provides us with the ability to drop in on the MSO frequency almost completely at our leisure, to store and retrieve this data. Yet, on a daily basis I see those who are either so impatient, or plainly so rude, that they purposely attempt to "steal" the MSO from someone who has already accessed it. [ED. note: then there are some who get so frustrated at attempting to get into a MSO that they leave and quit attempting to access any MSO]. With the exception of emergency traffic, which doesn't belong in a MSO in the first place, I can't think of any traffic that is so important that rude and impolite operating activities should prevail. The vast majority of MSO users are polite, proficient and courteous operators, and it's only a few bad apples that need

MSO'S

shape up their operating techniques. With our limited frequency allocations, we need co-operation, courtesy and good operating techniques, so let's all try to co-operate to everyone's advantage.

And, speaking of our limited RTTY frequencies, I think it's time to take whatever action is necessary to expand our RTTY operating area on 20 meters. This author feels that the so-called "Gentlemen's Agreement" with reference to 20 meters is both outdated, and due to the large influx of Amateurs using digital communications, overly restrictive. This agreement was formed some years ago to preclude the "CW" and "RTTY" modes from interfering with each other. The area from 14.080 to 14.100 MHz was supposedly set aside for purely RTTY operations. From my view, this agreement has worked well over the years, but recently the vast growth in digital communications, without a corresponding growth in the area where RTTY communications takes place, has caused us to squeeze more and more activities into this 20 kilohertz, with a corresponding increase in QRM, hard feelings, short tempers, etc.

During this same period, the phone portions of 20 meters have been expanded several times, downward in frequency, providing less and less spectrum for both CW and RTTY, (and DX phone where it is authorized). "BEACON" stations have established 14.100 MHz as their territory. Our Canadian friends to the North, as well as operators in other countries, have shared the area from 14.100 to 14.150 MHz pretty well unscathed. Anyone who takes the time to listen between those frequencies will find that this area is certainly underutilized, and although I'm more than positive that any suggestion on my

part will be met with resistance from stations presently using that area, I feel that it is time to expand our RTTY and "Packet" activity above 14.100 MHz, but generally speaking it is seldom that anyone is utilizing that area.

There have been some suggestions that MSO type activities, DX activities, rag-chewing activities, etc., be "allocated" specific areas in which to work, (sub-bands if you will), thus supposedly eliminating conflicts in operating features, operating techniques, and system peculiarities. This author feels strongly that this is a very poor approach to spectrum management, unnecessarily restrictive, and representative of personal favoritism and bias towards one or more operating modes. Rather than saddle Amateurs with a blizzard of bureaucratic frequency restrictions, we should all concentrate on upgrading the operating proficiency of Amateur operators, the result being much less interference in normal day-to-day operations, a better understanding of new operating systems, and probably the most important benefit, allowing the continued interest and implementation of new and highly sophisticated digital communications techniques. If Amateur Radio doesn't continue to grow, by maintaining interest, providing challenges for our younger generations, then our present operations will be viewed by many as hum-drum and unsophisticated, without merit as compared to the spectrum we occupy, and our frequencies will become increasingly more subject to scrutiny by commercial interests who would dearly love to occupy them!

One of the things that I enjoy most about Amateur Radio is the wide range and scope of activities that one may become involved in. Whether it be rag-chewing, DX chasing, MSO operations, computer operations, AMTOR, packet radio etc., there's something there for everyone. And, I hasten to point out that each of us has our favorite mode that is most important to us as individuals. However, it is extremely important to also understand that the rag-chewer gets just as much enjoyment and pleasure from his operations, as the packet please turn to page 15

ENGINEERING MAKES THE DIFFERENCE



Production Expertise And Service Integrity Form The Foundation For Your Long-Term Satisfaction

The fact that the Computer Patch Interface unit by Advanced Electronic Applications, Inc. is known as the best value on the market is no accident. The CP-1 was designed by Al Chandler, K6RFK (PHD-E.E.), an active RTTY user since 1963.

Given a cost per unit budget for the CP-1, Al designed as much performance as possible into the Computer Patch, including a unique new tuning indicator, referred to by one of our customers as the "Dead Eye Dick" tuning indicator. This indicator is ideal for RTTY and CW, in that it is both fast to tune and (within 10 Hz) as accurate as scope tuning. It also performs under poor signal to noise conditions in which other indicators provide no useful data.

Al's variable shift tuning was designed to move the space filter center frequency from 2225 Hz to 3125 Hz without changing the bandwidth (by varying the Q of the filter). All this is accomplished using a precision ganged potentiometer to assure proper tracking of the multiple filter stages. We could have used a pot costing a tenth as much by simply using a two-pole filter design, but we feel the advantage of a sharper filter reduces the noise bandwidth significantly and allows the variable shift control to be used like passband tuning for extra elimination of adjacent channel interference.

Some manufacturers are concerned that amateurs might try calibrating their own equipment and, therefore, have used non-adjustable components, which results in sub-optimal performance. Although more costly, trimpots used in AEA equipment allow factory adjustment for performance to design specifications. Competently designed active filter circuits need not be adjusted after leaving the factory; however, for specialized use the owner can easily change filter parameters.

Mindful of the fact that many of our customers are new to RTTY, Al made the CP-1 tuning as forgiving as possible, while providing the most critical operator a piece of equipment in which he could be proud. Even old "pro's" are surprised at the poor signal conditions under which the CP-1 will still provide good copy.

You can now experience the BEST RTTY, CW, and AMTOR offered. Couple the CP-1 with our new AEASOFT™ software packages designed for the MARS, SWL, or amateur radio operator, and you will feel a pride reminiscent of what "made in U.S.A." brought in years gone by. Please do not hold the low price of the CP-1 against us. This is one case where you get much more than you pay for relative to any of the competitive units. For more information send for our FREE catalog. Better yet, see your favorite dealer.

AEA Brings you the
Breakthrough!

 **Advanced Electronic Applications, Inc.**

P.O. BOX C-2160 • LYNNWOOD, WA 98036 • (206) 775-7373 • TELEX: 152579 AEA INTL

by GEORGE

HITS & MISSES

GEORGE HAMMON, WA6CQW
14215 Pecan Park Lane Space 73
El Cajon, CA 92021



VIC 20

Rod Chandler, W6VB is looking for information on the VIC-20 computer 24K byte RAM expansion memory manufactured by MSD Inc., Dallas, Texas. Rod can be contacted at 16299 Canelones Dr., Hacienda Heights, CA 91745

160 METER RTTY

On December 20,1984 the ARRL filed comments on PR Docket 84-959, the FCC proposal to allow F1, F3, F4, A4 and A5 on 160 meters. The FCC proposal came as a result of an ARRL petition requesting that the commission authorize F1 on 160 based on two premises (1) the present limitation to only A1 and A3 emissions is no longer necessary because that limitation was intended to protect CORAN-A operation in the band, which no longer exists, (2) the use of radioteletypewriter techniques in Amateur Radio Communication has proliferated because of the availability of personal computers.

I think this is a great proposal, write to the FCC and also to the ARRL so the band plan can be put into effect.

TRS-80, APPLE II and VIC 20

The following programs are available from the ARRL PX library.

Number 64 is a basic RTTY reception program for the "Apple II" computer, written by Andre Bedard, VE2FNF. The program requires no external hardware and is capable of receiving 45.45 baud Baudot.

Number 65 is a machine language RTTY reception program for the "VIC 20"

computer. Written by Richard Porter, NB5E, with the assistance of John Wilder, WA5PFJ. This program is able to receive 60, 75 and 199 word per minute Baudot.

Number 66 is a contest program for the TRS-80 color computer. Written by Tom, WA6ALA and Joe Firestine. This program is in Basic and requires 16K of Ram.

To obtain a complete listing of any PX program, send a business size SASE with 37 cents postage (check for new postage rates in effect) to: ARRL PX 225 Main Street, Newington, CT 06111.

VIC CLARK INCENTIVE PROGRAM

At the request of Vic Clarks family, the ARRL foundation has announced the creation of the Victor C. Clark incentive Program. The object is to provide support for the development of Amateur Radio among high school age youth.

Mini grants probably in amounts not exceeding \$500 will be made for such projects as securing equipment for antennas for club stations, purchasing training material, supporting local service projects, preferably by matching funds raised locally.

This is a great idea which should be supported by Ham Radio equipment manufacturers and Ham Radio Stores, etc. Just look at Apple computer as an example. I wonder how many Apple computers were sold to young people with the company donations, and better yet and more important, how many new hobbyists came into the fold.

I believe that with a concerted effort by all, the hobby of Amateur Radio can bring in new hobbyists including high school youth, needed to keep our hobby from becoming "stale".

I will close my column for this month with a heartfelt thanks to all who wrote or called in regards to my accident. I sure started to mend faster when I heard from you. Many thanks.

So long for now..George, WA6CQW....

000

AN AWARD FROM GDYNIA, POLAND

- This award is available to any licensed Amateur or SWL who can prove contacts with stations from Gdynia City.
- Contacts dating from February 10th 1976 may be used.
- Points are as follows:
 - European stations 6 points
 - outside Europe 3 points.
- Any band or mode may be used.
- Cost 10 IRCs
- Contacts with:
 - SP2PGU/mm-s/y Dar Pomorza or s/y Dar Miodziozy
 - SP2ZFK/mm-s/y Zawisza Czarny
 - SP2ZCD-Scout Club and special stations that have worked in Gdynia City for example:
 - SPOZCD-working Sea Days
 - SP2ZCD/2-working in Young Peoples Palace
 - SP2WCY-working in 1983 are double counted! The other stations are given 1 point.
- Do not send QSL's
- Applications may be sent to:
 - "GDYNIA" Award manager SP2UU Andrzej Ulatowski
 - PUB 253, PL 81963 Gdynia 1, Poland
- List of Gdynia City stations:
 - Stations QRV after April 1983: SP2AOY, AX, DVH, FF, FUA, GAJ, GCE, GRC, HFL, IQT, JGK, JGZ, LLY, MHB, MHN, RQ, UU, UUU, WI, ZT, ZCD, ZFK, and PGU.
 - Stations QRV until December 1981: SP2AVE, AWB, BF, BLW, BAO, DFK, EFG, FLU, FNR, FOG, FPM, FVK, GDV, GNB, GOF, GSF, HEA, HTI, HJN, ISU, IST, IQW, JHA, JHJ, HKL, LOA, WA, WB, KDS, KFF, KIS, KPV, ZCE. Plus 9A Stations.

THE STANDARD OF EXCELLENCE

The world of CW, RTTY, and new DUAL AMTOR is as close as your fingertips with the new brilliantly innovative state-of-the-art microcomputer controlled EXL-5000E.*

Automatic Sender/Receiver: Due to the most up to date computer technology, just a console and keyboard can accomplish complete automatic send/receive of Morse Code (CW), Baudot Code (RTTY), ASCII Code (RTTY) and new ARQ/FEC (AMTOR).

Code: Morse (CW includes Kana), Baudot (RTTY), ASCII (RTTY), JIS (RTTY), ARQ/FEC (AMTOR).

Characters: Alphabet, Figures, Symbols, Special Characters, Kana.
Built-in Monitor: 5" high resolution, delayed persistence green monitor — provides sharp clear image with no jiggle or jitter even under fluorescent lighting. Also has a provision for composite video signal output.

Time Clock: Displays Month, Date, Hour and Minute on the screen.

Time/Transmission/Receiving Feature: The built-in timer enables completely automatic TX/RX without operator's attendance.

Selcal (Selective Calling) System: With this feature, the unit only receives messages following a preset code. Built-in Demodulator for High Performance: Newly designed high speed RTTY demodulator has receiving capability of as fast as 300 Baud. Three-step shifts select either 170Hz, 425Hz or 850Hz shift with manual fine tune control of space channel for odd shifts. HIGH (Mark Frequency 2125Hz)/LOW (Mark Frequency 1275Hz) tone pair select. Mark only or Space only copy capability for selective fading. ARQ/FEC features incorporated.

Crystal Controlled AFSK Modulator: A transceiver without FSK function can transmit in RTTY mode by utilizing the high stability crystal-controlled modulator controlled by the computer.

Photocoupler CW, FSK Keyer built-in: Very high voltage, high current photocoupler keyer is provided for CW, FSK keying.

Convenient ASCII Key Arrangement: The keyboard layout is ASCII arrangement with function keys. Automatic insertion of LTR/FIG code makes operation a breeze.

Battery Back-up Memory: Data in the battery back-up memory, covering 72 characters x 7 channels and 24 characters x 8 channels, is retained even when the external power source is removed. Messages can be recalled from a keyboard instruction and some particular channels can be read out continuously. You can write messages into any channel while receiving.

Large Capacity Display Memory: Covers up to 1,280 characters. Screen Format contains 40 characters x 16 lines x 2 pages.

Screen Display Type-Ahead Buffer Memory: A 160-character buffer memory is displayed on the lower part of the screen.

The characters move to the left erasing one by one as soon as they are transmitted. Messages can be written during the receiving state for transmission with battery back-up memory or SEND function.

Function Display System: Each function (mode, channel number, speed, etc.) is displayed on the screen.

Printer Interface: Centronics Para Compatible interface enables easy connection of a low-cost dot printer for hard copy.

Wide Range of Transmitting and Receiving: Morse Code transmitting speed can be set from

the keyboard at any rate between 5-100 WPM (every word per minute). AUTOTRACK on receive. For communication in Baudot and ASCII Codes, rate is variable by a keyboard instruction between 12-300 Baud when using RTTY Modem and between 12-600 Baud when using TTL level. The variable speed feature makes the unit ideal for amateur, business and commercial use.

Pre-load Function: The buffer memory can store the messages written from the keyboard instead of sending them immediately. The stored messages can be sent with a keyboard command.

"RUB-OUT" Function: You can correct mistakes while writing messages in the buffer memory. Misspellings can also be erased while the information is still in the buffer memory.

Automatic CR/LF: While transmitting, CR/LF automatically sent every 64, 72 or 80 characters.

WORD MODE operation: Characters can be transmitted by word groupings, not every character, from the buffer memory with keyboard instruction.

LINE MODE operation: Characters can be transmitted by line groupings from the buffer memory.

WORD-WRAP-AROUND operation: In receive mode, WORD-WRAP-AROUND prevents the last word of the line from splitting in two and makes the screen easily read.

"ECHO" Function: With a keyboard instruction, received data can be read and sent out at the same time. This function enables a cassette tape recorder to be used as a back-up memory, and a system can be created just like telex which uses paper tape.

Cursor Control Function: Full cursor control (up/down, left/right) is available from the keyboard. Test Message Function: "RY" and "QBF" test messages can be repeated with this function.

MARK-AND-BREAK (SPACE-AND-BREAK) System: Either mark or space tone can be used to copy RTTY.

Variable CW weights: For CW transmission, weights (ratio of dot to dash) can be changed within the limits of 1:3-1:7.

Audio Monitor Circuit: A built-in audio monitor circuit with an automatic transmit/receive switch enables checking of the transmitting and receiving state. In receive mode, it is possible to check the output of the mark filter, the space filter and AGC amplifier prior to the filters.

CW Practice Function: The unit reads data from the hand key and displays the characters on the screen. CW keying output circuit works according to the key operation.

CW Random Generator: Output of CW random signal can be used as CW reading practice. **Bargraph LED Meter for**

Tuning: Tuning of CW and RTTY is very easy with the bargraph LED meter. In addition, provision has been made for attachment of an oscilloscope to aid tuning.

Built-in AC/DC: Power supply is switchable as required; 100-120 VAC; 220-240 VAC/50/60Hz + 13:8VDC.

Color: Light grey with dark grey trim — matches most current transceivers. **Dimensions:** 363(W) x 121(H) x 351(D) mm: Terminal Unit.

Warranty: One Year Limited

Specifications Subject to Change



Everything built in — nothing else to buy!

EXCLUSIVE DISTRIBUTOR:

DEALER INQUIRIES INVITED

FOR YOUR NEAREST DEALER OR TO ORDER:


AMATEUR-WHOLESALE ELECTRONICS

TOLL FREE ... 800-327-3102

8817 S.W. 129th Terrace, Miami, Florida 33176

Telephone (305) 233-3631

Telex: 80-3356



MANUFACTURER:

TONO CORPORATION

98 Motosoja Machi, Maebashi-Shi, 371, Japan

*Dual Amtor: Commercial quality, the EXL-5000E incorporates two completely separate modems to fully support the amateur Amtor codes and all of the CCIR recommendations 476-2 for commercial requirements.

DAFG

Deutsche Amateur Fernschreib Gruppe e.V.

GARTG

German Amateur Radio Teleprinter Group



14th GARTG-RTTY-Contest 1985

General: The German Amateur Radio Teleprinter Group (GARTG) e. V. sponsors their 14th GARTG-Short-Contest and welcomes participants of all RTTY-Amateurs in and outside the Federal Republic of Germany.

There will be a shortware and VHF-Contest. Both contests will be scored separately. The contest is split in 5 single contests within a year. After the 5th single contest the winner of the year in each classification will be stated.

Shortware:

1st part: Saturday	Febr.	16th	1985	1300-1700 UTC
2nd part: Sunday	April	14th	1985	0700-1100 UTC
3rd part: Saturday	June	8th	1985	1200-1600 UTC
4th part: Sunday	Aug.	25th	1985	0700-1100 UTC
5th part: Saturday	Oct.	12th	1985	1300-1700 UTC

VHF:

1st part: Sunday	Febr.	17th	1985	0800-1200 UTC
2nd part: Saturday	April	13th	1985	1200-1600 UTC
3rd part: Sunday	June	9th	1985	0700-1100 UTC
4th part: Saturday	Aug.	24th	1985	1200-1600 UTC
5th part: Sunday	Oct.	13th	1985	0800-1200 UTC

Bands: 80 and 40 m VHF: 2 m 70 cm and 23 cm

Contest call: CQ GARTG contest. After each QSO the station having called last keeps the QRG. The previous holder should make QSX.

Exchange: Shortware: RST, QSO-number, name, QTH
VHF: Same as shortware in addition QTH-locator

Scoring: Each station may be worked one per band. Each complete QSO counts 1 point on 80 and 40 m. VHF: Each complete QSO on 2 m 1 point, 70 cm 2 points, and 23 cm 3 points per kilometre worked. Contacts via repeaters are not valid!
Final score: Total of QSO-points

Classifications:

Class A: Shortware stations with more than 200 W input
Class B: Shortware stations with up to 200 W input
Class C: SWL stations
Class D: VHF stations

Logs: To contain:
a) Call, name and complete address; b) Classification;
c) Time in UTC, Call, name, QTH station worked, transmitted and received message numbers, band used; d) Final score (logs without final score will count as checklogs)
VHF: a) to d) same as shortware, e) QTH-locator sent and received. SWL: For points and scoring confirm above. The same stations may be reported only two times. Instead of message received, the SWL should report Call of partnerstation (worked).

Results: The result will be published in the GARTG newsbulletin RTTY-NEWS and in our club magazine „RTTY“ which can be bought even outside DL for 50 DM. Please contact GARTG Contest Manager.

Logs to be received not later than 20 days after closing each single contest.

Contest-Manager: Wolfgang Puenjer, DL8VX, P.O. Box 90 11 30, D-2100 Hamburg 90, Republique Federale d'Allemagne

6th world wide GARTG-SSTV-Contest 1985

To promote SSTV mode the German Amateur Radio Teleprinter Group sponsors on the occasion of their 15th anniversary their 6th world wide Slow Scan Television Contest.

When:

1st part: Saturday/Sunday 6th/7th April 1985 1200 UTC
2nd part: Saturday/Sunday 5th/6th Oct. 1985 1200 UTC
A 6 hour non operating time must be taken at any time during the contest.

Bands: 3,5 – 7,0 – 14,0 – 21,0 and 28 MHz amateur bands

Messages: a) Callsign b) RST c) Message number (three figure group starting with 001) d) GARTG-members have to transmit their membership number (a five figure group) which will give 50 bonus-points for each contact with GARTG-members.
Contest exchange must be made exclusively in the SSTV mode. For USA and some other countries the FCC rules are accepted.

Scoring: All two-way SSTV contacts 80-20 m: 1 point
All two-way SSTV contacts 15 m: 2 points
All two-way SSTV contacts 10 m: 5 points

Multipliers: Each country of WAE and ARRL-list including KL 7, KH 6, W/K, JA, PY, VE/VO and VK-districts will be considered as separate countries. The same continents and countries are only valid once on each band. The same station can only be worked on each band.

Final scoring: QSO-points X countries worked X continents + total number of bonus points.

Groups: a) SSSTV transmitting and receiving stations
b) SST receiving stations (SWL) – rules as listed above. There will be separate categories for operators and SWL.

Logs: Logs to contain: Date, time (UTC), call sign of station worked, RST and message number sent, time, RST and number received and points claimed. Don't forget to list the GARTG membership numbers as bonus points!

Note: Logs from SWL must contain both the full report sent and received by the station logged. Incomplete logging are not eligible for scoring. The summary sheet should show the full scoring. Please use separate sheet for each band.

Deadline: All logs must be received two months after each part.

Contest-Manager: Wolfgang Puenjer, DL8VX, P.O. Box 90 11 30, D-2100 Hamburg 90, Federal Republic of Germany.

Prizes: A free 12 month subscription of „RTTY“ – official organ of GARTG – will be sent to the 3 top scorers of group A + B.

Awards: Certificates will be awarded to the top scorers in each section.

DEUTSCHER AMATEUR RADIO CLUB e.V.

Mitglied der IARU

REFERAT BILD- UND SCHRIFTÜBERTRAGUNG



D A R C " C O R O N A " 10 m R T T Y C O N T E S T 1985

The "DARC, Referat Bild- und Schriftuebertragung" has the great pleasure to invite Radio Amateurs worldwide, to participate in the annual 10 meter RTTY Contest. It is held to increase the RTTY activity on the 10 m Amateurband. There are four tests within a year, each test will be scored separate.

- * **Schedule:** 1st Test: Saturday, March, 2nd, 1100-1700 UTC
2nd Test: Sunday, May, 5th, 1100-1700 UTC
3rd Test: Saturday, September, 7th, 1100-1700 UTC
4th Test: Sunday, November, 3rd, 1100-1700 UTC.
- * **Band:** The recommended range of 10 meter Amateurband.
- * **Classes:** A = Single OP; B = Multi OP, single TX; C = SWL printer.
- * **Contest Call:** "CQ CORONA TEST".
- * **Exchange:** RST, QSO-Nr., Name, US-Stations will give add. their state.
- * **Points:** Each complete RTTY-QSO count for 1 point. Each station has to be contacted only once.
- * **Multipliers:** Use the latest WAE- and DXCC-list, count each VE/VO/VK call-area and each different US-state as a separate country.
- * **Scoring:** Total QSO-points times total multipliers.
- * **Logs:** It is recommended to use the official log forms, which are obtainable from the manager (a SASE will be appreciated).
Logs should contain: Name, Call and full address of participant / Class / Time in UTC / Exchange and final score. SWLs apply according to the rules.
- * **Deadline:** Each entry which arrive to the manager within 30 days after the respective test will be valuable.
- * **Manager:** Klaus K. Zielski, DF7FB, P.O.Box 11 47
D-6455 Erlensee, Fed. Rep. of Germany.
- * **Awards:** Appropriate awards to the leading stations per each class.
A station which wins first or second places at least three times during a given year, is eligible to be honoured with the "CORONA CUP".

W A E - countries List

CT1 - CT2 - C3 - DL - EA - EA6 - EI - F - G - GD - GI - GJ - GM - GM Shetland - GU - GW - HA - HB - HBØ - HV - I - IS - IT - JW Bear - JW Spitzbergen - JX - LA - LX - LZ - OE - OH - OHØ - OJØ - OK - ON - OY - OZ - PA - SM - SP - SV - SV Athos - SV 5 - SV 9 - TA1 - TF - TK - T7 - UA europ. - UA1 Franz-Josef-Land - UA1N - UA2 - UB - UC - UO - UP - UQ - UR - YO - YU - Y2 - ZA - ZB2 - 1AØ - 3A - 4U1ITU - 4U1VIC - 9H.

CLASSIFIED ADS

30 words \$3.00, additional words 5 cents each - Cash with copy. Deadline 1st of month for following month.

FOR SALE: CV-1758 UKR converter side band. Connects to any good AM receiver & permits side band operation \$90. RTTY paper, 4 boxes, 32 rolls total 7/8 x 8" black 7.00 weight total 48lbs UPS OK. Bill Harmon, 5628 10th Ave. So., Birmingham, AL 35222.

DT-600 BOARD partially equipped with manual, M-15 paper winder, H-33 paper winder, Western Electric mercury polar relays, Teletypewriter TT-299B/06 Teleprinter AN/UGC40, 103 type data set, Make Offer! Send SASE for test equipment, CRT's, meters, microphones and other related items. Galbraith, 1214 S. Alvord, Evansville, IN 47714.

WANTED-TELETYPE Repair parts, unused. Any quantity, Send SASE for parts, supplies, manuals. TYPETRONICS, Box 8873, Ft. Lauderdale, FL 33310. Phone 305-583-1340 after 9PM. Fred Schmidt, N4TT.

FDM RTTY DEMODULATORS. Frederick 1202R series. Useful for AP/UPI news on HF radio, Commodities news service on FM SCA broadcasts and UPI "one state per channel" satellite FM/SCPC transmissions. Four models available in various conditions, \$35 to \$350. Call/write for full brochure. Electrovalue Industrial Inc, PUB 376-RJ, Morris Plains, NJ 07950. 201/267-1117

NEWS-NEWS-NEWS-Amateur Radio's News-paper "WORLD RADIO". 1 year subscription is \$9.00. Send to: WORLD RADIO, 2120 28th St., Sacramento, CA 95818.

HAM RADIO MAGAZINE. The no nonsense state-of-the-art technical magazine. Subscribe now and see for yourself. 1 year \$19.50 in USA. Canada and foreign surface \$21.50. Europe, Africa & Japan area \$28.00 airmail. Ham Publishing Group, Greenville, NH 03048.

HAL COMMUNICATIONS STRIKES AGAIN! If you have an IMB-PC Personal Computer, then you want to utilize the new HAL PCI-2000 interface and software to turn it into the ultimate in a computer based RTTY system! Morse, Baudot and ASCII, 103/202 modems, all speeds/shifts, split screen and a host of other features. Write or call Dick, KØVKH, DIALTA Amateur Radio Supply, 212-48th St., Rapid City, SD 57702. Call 602-343-6127. Our prices can't be beat!

FOR SALE: Leeds and Northrup Model G Speedmax, operates on 1.5 dry cell. Manual available. Each \$50. Model 28 console \$49.50. Bill Harmon, 5628 10th Ave., So., Birmingham, AL 35222. Call 205/592-0835.

FOR SALE: INFO-TECH 200E, RTTY, CW and ASCII modes. \$300. N6YS, Doug. Great shape. Call 619/455-6655.

WANTED: UT-4 Boards by W7WTQ in good working order will all parts mounted. WB5HVE, Herb Draeger Box 514, Mountain Home, AK 72653-0514.

FOR SALE: DRAKE THETA 1000 RTTY/CW Demod/keyboard, cost \$1100 sell \$400. Robot 800C RTTY/CW/SSTV keyboard \$400 Robot 400 SSTV \$275, Kenwood TS-130, 200W SSB rig \$395. Jack Richards, 1193 Immaculate Lane, Cincinnati, OH 45230 513/232-3765.

NEW PRODUCT

ICOM announces the IC-3200A 25 watt compact full featured Dual Bander. With only 14 front panel controls, the IC-3200A is simple to use, yet offers these outstanding standard features:

Frequency coverage: 2 meter (140.000 to 150.000MHz) plus 70 CM (440.00 to 450.00MHz)

5KHz fully programmable offsets for MARS and CAP repeater operation

Size is 5½"W x 2"H x 8½"D

25 watts output on both bands

Memory lockout on both bands

Scanning..memory, band, programmable and priority

Ten tunable memories with lithium battery to maintain memories when disconnected from power source

New LCD display-easy to read in sun

Tone encoder (PL and subaudible tones built-in)

One antenna connector-duplexer is already installed

Variable tuning increments

The ic-3200A also comes standard with an IC-HM14 touchtone mike with up/down scan, DC power cord, and mobile mounting bracket. Pricing is set at \$549 suggested retail and will be available in April for Dayton.

⊖-777 THE MOST ADVANCED COMPUTER INTERFACE EVER DESIGNED FOR COMMERCIAL AND AMATEUR USE.

RTTY, BIT INVERSION (RTTY), ASCII, AMTOR (MODE A (ARQ), MODE B (FEC AND SEL-FEC), MODE L), CW, ANY SPEED ANY SHIFT (ASCII AND BAUDOT)*

NEW!

- **AUTO DECODING:** Automatically decodes signal and displays mode, speed and polarity on the CRT.
- The awesome power of the ⊖-777 is limited only by the imagination of the user and the terminal program of the computer.
- Use with Any computer that has RS232 or TTL I/O.

Everything Built In - Including Software — Nothing Else To Buy!

- *SPEEDS: CW 5-100 WPM (AUTOTRACK), 12-200 BAUD (ASCII AND BAUDOT), 12-600 BAUD TTL AND RS232 OR TTL LEVEL DATA CONNECTION • 100-2400 BAUD (ASCII) OR 455-200 BAUD (BAUDOT) • SELCAL • MEMORY: 15 CHANNELS • 768 CHARACTER INPUT BUFFER • AUTO PTT • CW ID • DIDDLE • ECHO • AUTO CR/LF • RUB-OUT • CW PRACTICE GENERATOR • VARIABLE CW WEIGHTS • TEST MESSAGE (RY AND QBF)
- FULL CRT FUNCTION DISPLAY • MARK - AND - BREAK (SPACE - AND - BREAK) SYSTEM • XTAL AFSK
- AUDIO MONITOR • POWER SUPPLY REQUIREMENTS: 13.8 V DC, 700MA • SIZE 9W x 10D x 2"H •

AMATEUR-WHOLESALE ELECTRONICS TOLL FREE...800-327-3102

887 S W 129th Terrace, Miami, Florida 33176 Telephone (305) 233-3631 Telex 80-3356

Radio enthusiast gets from his pursuits; and that the MSO SYSOP gets his thrill by providing the MSO service, just as much as the DX'er gets from nabbing an elusive new country. To co-exist requires only the very basic understanding of co-operation, coupled with an increased awareness of operator knowledge and proficiency. In the end we need more spectrum, less intra-band squabbling, and more co-operation from all interests. I think it's time to start using a portion of the spectrum above 14.100 MHz to allow for the increased digital communications activities, and I'd like to see some permanent MSO activity in this area. What do you think?

MSO OF THE MONTH:

I'd like to take this opportunity to welcome a new MSO on the "National Autostart Frequency", operated by Bill Wright, W4NVC. Bill is located in Boca Raton, Florida, and runs the HAL DS3100 Disk System, coupled to an ICUM IC-745 transceiver. Bill is presently limited to a "wire beam" antenna in the attic of his building, but he puts out a nice signal. Welcome aboard Bill, and thanks for providing the nice service!

MSO HINT OF THE MONTH:

One of our goals in operating MSO's should be to minimize the time the MSO is on the air to the greatest extent possible. Long "Directory" runs probably eat up more time than anything. Each remote user who places a message in an MSO should be responsible for deleting that file as well, when it is not picked up by the addressee within a reasonable time period. I suggest that any file that has not been picked up within 14 days has "whiskers", and the remote user should take the appropriate action to delete it. Additionally, should the remote user not take this action in a timely manner, the MSO SYSOP should not hesitate to remove these aging files.

"Spring" is upon us, and hopefully better band conditions. Let's hear from you, especially on subjects

relative to spectrum use, ways to improve MSO service, and anything else that you would like to share with other RTTY/MSO operators. Good luck, and I'll see you next month!

DE: Dick, KØVKH

THOUGHTS ON THE TS-930S

By: Gary Moles, ZL2AKI
5 Edward Street
Bulls, New Zealand

"There has been a lot written about owners being unable to use "monitor" with a TS-930S in the FSK mode, which has apparently prevented a lot of TS-930S owners from using their rigs in this mode as opposed to generating tones and using the LSB mode.

If you know a TS-930S owner who is reasonably technically minded and who uses RTTY, get them to try this mod which I have applied to mine and it appears to be okay.

1. Remove top and bottom covers. Place rig upside-down on bench - front panel forward.
2. Identify 'switch unit A' board - this is on the left hand side-front.
3. From the service manual, identify the PCB contacts of S10-1. They are actually the front, left hand row of contacts, slightly left of center.
4. Connect a silicon signal diode between the 'FSK' and 'SSB' (J6) contacts on the PCB - anode to FSK. These are easily identified from the PCB layout. And that is it!. I leave my processor turned 'off' and use the 'processor out' control for power out control, normally about 50 watts, with monitor 'on' tones are audible.

I am about to similarly modify a TS-820S for a local owner, with a diode connected in similar manner in the rig, easily identified in the cct diagram."

00000000000000000000000000000000

RTTY BEGINNERS HANDBOOK

Still Available at \$8.00 PPD USA. The book for RTTYers wanting to know all of the what and whys of RTTY. Send to the RTTY JOURNAL, POB RY, Cardiff, CA 92007-0179....

by putting a switch at the transceiver that disconnects the CP-1 connections when not using RTTY.

Bobs Hamtext software does not accommodate the Apple Imagewriter so I cannot print as I receive RTTY. And this is one problem that he has not been able to solve. He says it is not a big problem as you can always print what is in the holding buffer whenever you want, but it is annoying. Any solutions out there?

I still have not received any other solutions to RTTY/computer problems nor and requests for help. Can it be that everyone has been able to purchase all RTTY/computer gear and interface them all by just plugging them in?

"By the way, did you know that you can't send mail to Washington?" "Why not?" "Because he's dead, but you can send mail to Lincoln." "But he's dead too!" "I know it - but he left his Gettysburg Address."


From Juan, LU4EGE comes the following list of countries and how many stations they have on AMTOR:

Mexico	3
Costa Rica	8
Venezuela	3
El Salvador	3
Columbia	2
Guatamala	1
Monserrat	1
Neth. Antilles	1
Panama	1
Peru	1
Brazil	1
Chile	4
Argentina	5

Juan translates the RTTY JOURNAL into Spanish and distributes it from Buenos Aires. Juan states that activity has been picking up lately, from the States mainly, but also Europe, Canada, Japan and Africa. Juan invites you all to drop into his AMTOR maildrop on 14.070.1 KHz (mark) and leave him a message. His selcal is LEGE. QSL info for Juan is: POB 64, 1706 Haedo, Buenos Aires, Argentina.

MPC-1000R BY DOVETRON

MULTIPATH CORRECTION, IN-BAND DIVERSITY, SIGNAL REGENERATION,
UP-DOWN SPEED CONVERSION, 200 CHARACTER FIFO MEMORY,
KEYBOARD-CONTROLLED WORD CORRECTION & DIGITAL AUTOSTART



THE MPC-1000R REGENERATIVE RTTY TERMINAL UNIT

The DOVETRON MPC-1000R is a complete Transmit-Receive modem designed for optimum radio teleprinter communications on land, sea and in the air.

Standard features include a high level loop supply and keyer (neutral or polar), EIA and MIL FSK outputs, a phase-continuous AFSK Tone Keyer with three selectable Mark - Space - Shift tone pairs, Mark, FSK & Digital Autostart, Automatic Markhold, an internal RY Generator for terminal unit Self-Test and circuit adjustment, and a Signal Loss Alarm circuit.

The MPC Series is available in six different models to meet your exact requirements.

**Complete specifications are
available on your request,
or call 213-682-3705.**



**627 Fremont Avenue
South Pasadena,
California 91030, U.S.A.**

RTTY
Journal

EXCLUSIVELY AMATEUR RADIO TELETYPE

P.O. BOX RY

Cardiff by the Sea, CA 92007

**SECOND CLASS PERMIT PAID
AT ENCINITAS, CA 92024**