

D.T. 1:6

EQUIP. TYPE R390A/URR REF. NO.

COL. 541 6259 002


NOTICE: WHEN GOVERNMENT DRAWINGS, SPECIFICATIONS, OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE UNITED STATES GOVERNMENT THEREBY INCURS NO RESPONSIBILITY FOR ANY DELAY OR INCONVENIENCE WHATSOEVER, AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, PROMULGATED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED AS IMPLICATION OR ENDORSEMENT AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONFERRING ANY RIGHTS OR PRIVILEGES TO MANUFACTURE, USE, OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THEREBY.

THIS DOCUMENT HAS BEEN PURCHASED BY THE GOVERNMENT AND MAY BE REPRODUCED AND USED IN CONNECTION WITH ANY GOVERNMENT PROCUREMENT OR MANUFACTURE OPERATION.

FOR INFORMATION ONLY. CONTRACTOR MAY AT HIS OPTION DEVIATE FROM THESE PROCESS DETAILS.

~~\* SWE APPROVAL  
SYM | PR 10042-12~~

REVISIONS			
SYM	DESCRIPTION	DATE	APPROVAL
A <sub>6</sub>	A <sub>1</sub> NOTE 1 WAS "SILK SCREENING TO BE BLACK, ETC" A <sub>2</sub> ADD CALLOUTS A <sub>3</sub> DELETED ITEM 2 SM-B-2491B3 A <sub>4</sub> DWG TITLE WAS "CAN-R.F." A <sub>5</sub> NOTE 2 WAS "SILK SCREENING IN ACCORDANCE WITH COLLINS SPEC. ETC" A <sub>6</sub> SEE NOTE 1 REPLACED SILK SCREEN NOTATION	17 NOV 59	42428-PC-59-AI-51 REV'D PME
B	(1) REMOVED "SM"	31 OCT 61	42428-PC-59 REV'D PME




SEE NOTE 1

(A<sub>6</sub>)

OUTLINE OF CASE FOR REF. ONLY

(A<sub>2</sub>)



SEE NOTE 2

NOTES

- ALL CHARACTERS TO BE  $\frac{3}{32}$  HIGH GOTHIC TYPE PER SPEC MIL-M-13231 GROUP II, COLOR TO BE BLACK, COLOR CHIP NO. 2703B PER FED STD. 595 MARKINGS TO BE CENTRALLY LOCATED  $\pm \frac{1}{32}$  UNLESS OTHERWISE SHOWN COVER DESIGNATIONS WITH ONE COAT OF VARNISH PER MIL-V-173 TYPE II
- MARK WITH PRIME MANUFACTURERS NAME OR REGISTERED TRADEMARK AND PART NUMBER PER MIL-M-13231 TYPE II (\* STEWART-WARNER ELECTRONICS, CHICAGO, ILL D 249097) (B<sub>1</sub>)

(A<sub>3</sub>)

(A<sub>4</sub>)

COLLINS PART NO.	ITEM	REQD	PART NO.	DESCRIPTION	MATL	MATL SPEC
(SA) 558-0401-002	1	1	SM-B-249053	CAN		

LIST OF MATERIAL

COLLINS PART NO. 558-0521-002

COLLINS NO.	QTY	NEXT ASSY	USED ON
558-0448-004	1	SM-D-249097	SG-DL-248775

DRAWN **NUGEN** CHECKED *Rlm* APPROVED

UNLESS OTHERWISE SPECIFIED:  
 DECIMAL DIMENSIONS INCLUDING HOLE SIZES MAY VARY  $\pm .008$   
 FRACTIONAL DIMENSIONS INCLUDING HOLE SIZES MAY VARY  $\pm 1/64$   
 MACHINED ANGLES MAY VARY  $\pm 1^\circ$   
 SHEARED ANGLES MAY VARY  $\pm .25^\circ$   
 BROKEN ANGLES MAY VARY  $\pm 1^\circ$   
 ECCENTRICITY BETWEEN ANY DIAMETERS ON THE SAME CENTERLINE SHALL NOT EXCEED .010 TOTAL INDICATOR READING.  
 ALL DIMENSIONS ARE FINISH DIMENSIONS INCLUDING APPLIED FINISH AND ARE GIVEN IN INCHES.

COLLINS-RADIO-CO.  
 OSGAR-RAPIDS, IOWA  
 14214-PH-51-93  
 SIGNAL CORPS  
 REVIEWED *PME*  
 APPROVED *HLJ*  
*PME*  
 DATE 14 FEB 56 SCALE 2/1

CAN-MARKED

DEPARTMENT OF THE ARMY  
 SIGNAL CORPS ENGINEERING  
 LABORATORIES  
 FORT MONMOUTH NEW JERSEY  
 SM-B-249168