

EQUIP. TYPE *A3304/URR* EXP. NO.


COL. 540 7506 003

NOTICE: WHEN GOVERNMENT DRAWINGS, SPECIFICATIONS, OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE UNITED STATES GOVERNMENT THEREBY INCURS NO RESPONSIBILITY FOR ANY DELAY OR INADEQUACY, AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR ORGANIZATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE, OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED HERETO.

THIS DOCUMENT HAS BEEN FURNISHED BY THE GOVERNMENT AND MAY BE REPRODUCED AND USED IN CONNECTION WITH ANY GOVERNMENT PROCUREMENT OR MAINTENANCE OPERATION.

FOR INFORMATION ONLY. CONTRACTOR MAY AT HIS OPTION DEVIATE FROM THESE PROCESS DETAILS.

REVISIONS			
SYM	DESCRIPTION	DATE	APPROVAL



- NOTES:
1. PRESS NUTS, CONNECTORS & BUSHINGS, ITEMS (1, 4, 5, & 6) INTO CHASSIS, ITEM (2) IN POSITION SHOWN.
 2. ROLL EYELET (3) TO CHASSIS (2).
 3. IN ALL SPLIT BALLOONS TOP FIGURE IS MATERIAL LIST ITEM INDICATOR & BOTTOM FIGURE IS QUANTITY.

COLLINS PART NO.	ITEM	REQD	PART NO.	DESCRIPTION	MATL	MATL SPEC	NOTE
559 0285002	6	3	SM-B-283184	CONNECTOR-RECEPT.			1
559 0264002	5	6	SM-B-283168-2				1
559 0254003	4	8	SM-C-283166-1	NUT-INSERT CAPTIVE			1
559 0282002	3	1	SM-B-283153	EYELET			
558 0394004	2	1	SM-D-249044	CHASSIS-XTAL OSC.			
558 0224802	1	2	SM-B-248875	BUSHING-CAPTIVE			1

COLLINS PART NO.	ITEM	REQD	PART NO.	DESCRIPTION	MATL	MATL SPEC	NOTE
------------------	------	------	----------	-------------	------	-----------	------

LIST OF MATERIAL COLLINS PART NO. *558 0393003*

DRAWN <i>Hamer</i>				CHECKED <i>R...</i>	APPROVED	COLLINS-RADIO-OO 558-RADIO-1004 1A214-PH-51-93	DEPARTMENT OF THE ARMY SIGNAL CORPS ENGINEERING LABORATORIES FORT MONMOUTH NEW JERSEY SM-C-249043
UNLESS OTHERWISE SPECIFIED: DECIMAL DIMENSIONS INCLUDING HOLE SIZES MAY VARY ±.008 FRACTIONAL DIMENSIONS INCLUDING HOLE SIZES MAY VARY ±1/64 MACHINED ANGLES MAY VARY ±.1° SHEARED ANGLES MAY VARY ±.25° BROKEN ANGLES MAY VARY ±1° ECCENTRICITY BETWEEN ANY DIAMETERS ON THE SAME CENTERLINE SHALL NOT EXCEED .010 TOTAL INDICATOR READING. ALL DIMENSIONS ARE FINISH DIMENSIONS INCLUDING APPLIED FINISH AND ARE GIVEN IN INCHES.						REVIEWED <i>PME</i>	
558 0394004 - 1 SM-D-249044 SC-DL-24875						APPROVED <i>HLV</i> <i>PME</i>	
COLLINS NO.	QTY	NEXT ASSY	USED ON	DATE 3 JAN 56	SCALE 1/1		

WHEN REFERRING TO THIS DRAWING STATE DRAWING NO., APPLICABLE ISSUE SYMBOL, IF ANY, AND DATE